KNEEbraska

Matthew R. Byington, DO

Orthopaedic Surgeon - Board Certified

Fellowship Trained in Sports Medicine & Arthroscopic Surgery Prairie Orthopaedic and Plastic Surgery

Phone: (402) 489-4700; Fax: (402) 489-5220;

www.drmattbyington.com

REHABILITATION GUIDELINES: KNEE Postop ACL Reconstruction

(Hamstring) Page 1 of 3

I. IMMEDIATE POST-OPERATIVE PHASE

Days 1 to 7

Brace - Brace locked at zero degrees extension for ambulation

Weight Bearing - Two crutches as tolerated with brace on locked in extension

Range of Motion - Patient out of brace (or unlock) 5 times daily to perform self ROM 0-90 degrees **Exercises**

- * Intermittent ROM exercises (0-90 degrees)
- * Patellar mobilization
- * Ankle pumps
- * Straight leg raises (4 directions)
- * Standing weight shifts and mini squats [(0-30) ROM]
- * Knee extension 90-40 degrees
- * Continue quad sets

Muscle Stimulation - Electrical muscle stimulation to quads in rehab or training room Ice and Elevation - Ice 30-45 minutes every 2-3 hours and elevate with knee in extension

II. MAXIMUM PROTECTION PHASE (Week 2-8)

Goals:

Decrease swelling

Prevent quad atrophy

Increase ROM: Maintain full extension and progress flexion

Protect graft / control external forces

Week Two

Brace - Brace locked at zero degrees for ambulation only, unlocked for self ROM (5 times daily)

Weight Bearing - As tolerated (gradually discontinue crutches 14-28 days post op)

Range of Motion - Self ROM (5 times daily), emphasize maintaining zero degrees passive extension Exercises

- * Multi-angle isometrics at 90, 60, 30 degrees
- * Leg raises (4 planes)
- * Hamstring curls (isometrics)
- * Knee extension 90-40 degrees
- * Mini squats (0-40) and weight shifts
- * Lunges
- * Leg Press (0-60)
- * PROM/AAROM 0-105 degrees
- * Patellar mobilization
- * Hamstring and calf stretching
- * Proprioception training
- * Well leg exercises
- * PRE Program start with 1 lb., progress 1 lb. per week

Swelling control - Ice, compression, elevation

Week Four

Brace - Brace locked at zero degrees for ambulation only, unlocked for self ROM (5 times daily) **Range of Motion** - Self ROM (5 times daily) emphasize maintaining zero degrees passive extension **Exercises**

- * Same as week two
- * PROM 0-125 degrees
- * Bicycle for ROM stimulus and endurance
- * Pool walking program, swimming

Matthew R. Byington, DO

Orthopaedic Surgeon - Board Certified

Fellowship Trained in Sports Medicine & Arthroscopic Surgery Prairie Orthopaedic Phone: (402) 489-4700; Fax: (402) 489-5220; www.drmattbyington.com

REHABILITATION GUIDELINES: KNEE Postop ACL Reconstruction (Hamstring)

Page 2 of 3

- * Initiate eccentric quads 40-100 (isotonic only)
- * Leg press (0-60)
- * Emphasize CKC exercise
- * Stairmaster
- * Nordic Track

Week Six

Brace – DISCONTINUE BRACE BY 5-6 WEEKS POSTOP

Exercises

- * Same as week four
- * Hamstring Curls (light resistance)
- * Pool Program
- * AROM 0-115 degrees
- * PROM 0-125 degrees
- * Emphasize closed chain exercises
- * Bicycle/Stairmaster etc.

Week Eight

Brace - Consider use of FUNCTIONAL BRACE NEED TO ORDER FROM REP

Exercises - Continue PRE program

III. MODERATE PROTECTION PHASE (Week 10-16)

Goals: Maximal strengthening for quads/lower extremity

Protect patellofemoral joint

Week 10

Exercises

- * Knee extension (90-40 degrees)
- * Leg press (0-60)
- * Mini squats (0-45)
- * Lateral step ups
- * Hamstring curls
- * Hip Abd/Add
- * Toe/calf raises
- * Bicycle
- * Stairmaster
- * Wall Squats
- * Lunges
- * Pool running
- * Proprioceptive training
- * Continue PRE progression (no weight restriction)

Week 12-14

Exercise - Continue all above exercises

Maintain/Begin running (if patient fulfills criteria)

IV. <u>LIGHT ACTIVITY PHASE</u> (Month 4-5)

Criteria to Enter Phase IV

- * AROM 0-125 degrees >
- * Quad strength 70% of contralateral side, knee flexor/extensor rated 70-79%
- * No change in KT scores (+2 or less)
- * Minimal/no effusion
- * Satisfactory clinical exam

Goals: Development of strength, power, endurance

Matthew R. Byington, DO

Orthopaedic Surgeon - Board Certified

Fellowship Trained in Sports Medicine & Arthroscopic Surgery Prairie Orthopaedic Phone: (402) 489-4700; Fax: (402) 489-5220; www.drmattbyington.com

REHABILITATION GUIDELINES: KNEE Postop ACL Reconstruction (Hamstring)

Page 3 of 3

Begin gradual return to functional activities

Week 20-21

Exercises

- * Emphasize eccentric quad work
- * Continue closed chain exercises, step-ups, mini-squats, leg press
- * Continue knee extension 90-40 degrees
- * Hip abduction/adduction
- * Initiate plyometric program
- * Initiate running program
- * Initiate agility program
- * Sport specific training and drills
- * Hamstring curls and stretches
- * Calf raises
- * Bicycle for endurance
- * Pool running (forward/backward)
- * Walking program
- * Stairmaster
- * High speed isokinetics

Criteria for Running

Isokinetic Test - 85% > of opposite leg (quads), 90% > of opposite leg (hamstring)

No Pain/Swelling

Satisfactory clinical exam

Functional Drills

- * Straight line running
- * Jog to run
- * Walk to run

V. RETURN TO ACTIVITY PHASE (Month 6 - 7)

Goals: Achieve maximal strength & endurance

Return to sport activities

* Continue maintenance endurance / strengthening program for one year from surgery

4 Quads4 StrengthKnee ExtensionsHamstring CurlsWall SquatsCalf RaisesLeg PressHip AbductionStep UpsHip Adduction

4 Endurance 4 Stability

Bicycle High Speed Hamstrings

Stairmaster High Speed Hip Flexion/Extension

Nordic Trac Balance Drills
Swimming Backward running

*Pick On